

DokuWiki Beispiel-Seite über die installierten Plugins

[administratoren](#), [org](#), [ovgu](#), [php](#), [plugin](#), [urz](#), [rechenzentrums](#), [seite](#), [service](#), [shibboleth](#), [syntax](#), [system](#), [user](#), [wiki](#), [wikiservice](#), [wrap](#), [www](#)

Die beliebtesten Wörter (Cloud Plugin)

[administratoren](#) [als](#) [auf](#) [bereich](#) [das](#) [de](#) [dem](#) [den](#) [der](#) [des](#) [die](#) [doku](#) [dokuwiki](#) [eine](#) [einfach](#) [es](#) [für](#) [haben](#) [hilfe](#) [http](#) [https](#) [ihre](#) [im](#) [ist](#) [kann](#) [können](#) [mit](#) [noch](#) [nur](#) [open](#) [org](#) [ovgu](#) [php](#) [plugins](#) [rechenzentrums](#) [seite](#) [service](#) [sie](#) [sind](#) [so](#) [start](#) [system](#) [user](#) [von](#) [werden](#) [wie](#) [wiki](#) [wikis](#) [wikiservice](#) [zu](#)

Die beliebtesten Tags (Tagcloud Plugin)

[administratoren](#) [org](#) [ovgu](#) [php](#) [plugin](#) [rechenzentrums](#) [seite](#) [service](#) [shibboleth](#) [syntax](#) [system](#) [urz](#) [user](#) [wiki](#) [wikiservice](#) [wrap](#) [www](#)

Tag Plugin

```
{{tag>[list of tags]}}
```

| | | |
|-----------------------|--|----------|
| [list of tags] | a space separated list of tags that describe the content of the current page | required |
|-----------------------|--|----------|

Allows you to categorize your wiki pages. The resulting links either point to the corresponding page in the specified tag namespace (only if it exists). If you want a link to point to a page in another namespace, you have to indicate the namespace before the tag name. If this page doesn't exist, just the list of pages with the same tag is shown when you follow one of those links.

Examples:

- `{{tag>tag1 tag2 tag3}}`
- with namespaces: `{{tag>:ns1:tag1 ns1:tag2 ns2:subns1:tag3}}`

Topic

```
{{topic>[tag]&[flags]}}
```

| | | |
|----------------|--|----------|
| [tag] | the category tag for which you want a list of pages | required |
| [flags] | pagelist flags delimited by &, see flags | optional |

This displays a list of all pages that contain the given category tag. The list is sorted alphabetically by page ID. You can also prepend the modifiers + and -. + creates an intersection between the list of pages created by the already defined tags and the pages matching the tag following the + (AND), - removes all pages tagged with the given tag from the list of already found pages.

Example:

- `{{topic>tag1 -tag2}}` - Lists all pages tagged with tag1 but not with tag2.
- `{{topic>tag1 +tag2}}` - Lists all pages tagged with tag1 and tag2.
- `{{topic>tag1 tag2}}` - Lists all pages tagged with either tag1 or tag2 or both.
- `{{topic>ns1?tag1 tag2}}` - List all pages inside namespace ns1 tagged with either tag1 or tag2
- `{{topic>.?tag1 tag2}}` - List all pages inside the current namespace tagged with either tag1 or tag2
- `{{topic>tag1 tag2 tag3&nodate&desc&sort}}` (Adding [pagelist](#) options to change the design)

Searchtags

```
{{searchtags&[flags]}}
```

[flags] pagelist flags delimited by &, see [flags](#) optional

This displays a search form with the possibility to select a namespace and to select tags from a table of all tags that should either be in- or excluded with the option to choose if the tags should be associated with AND or OR. The results are displayed as in the topic component.

Example:

- `{{searchtags}}` - The basic syntax
- `{{searchtags&nodate&desc&sort}}` - with [pagelist](#) options to change the design

Count

```
{{count>[tag]}}
```

[tag] the category tag for which you want the list the occurrence required

This part allow you to display an overview of your current used tags. It prints the tag and the related occurrence (how often is the tag used?) in your wiki. Either you can specify a + as tag-name, which results in a list of all used tags or just specify some tags separated by spaces.

Example:

- `{{count>+}}` - List all tags with related occurrences.
- `{{count>tag1 tag2}}` - List the occurrence of tag1 and tag2.
- `{{count>tag1 tag2 tag3&. ns1 ns2}}` - List all occurrences for the given tags inside the namespaces (the dot specifies the root namespace)

| Tag | # |
|--------------|---|
| Empty Output | |

Tagpage

```
{{tagpage>[tag][&dynamic][|title]}}
```

This displays a link to the listing of all tags as it is done by the [Tag](#) syntax but without tagging the page with that tag. With the optional `dynamic` flag the link becomes red when the listing of all pages with that tag is empty for the current user. The `dynamic` flag automatically disables the cache of the current page in order to ensure that the link color is always correct. Optionally a title can be specified that will be used as link name.

Example:

- `{{tagpage>test_foo}}` - The basic syntax
- `{{tagpage>test_foo&dynamic}}` - A link with dynamic link color
- `{{tagpage>test_foo|my title}}` - A link with custom title
- `{{tagpage>test_foo&dynamic|my | title}}` - A link with dynamic link color and custom title (that can also contain |)

Configuration

The plugin can be configured with the DokuWiki configuration manager available in the admin menu.

| | |
|---------------------------|--|
| namespace | Namespace where the tag plugin looks for existing tag pages and links to them instead of the default tag overview. You could use the topic component to display the list of tags on such a page for example. (default tag) |
| sortkey | Order in which tagged pages are sorted in the topic overview; available options are creation date, modification date, page name, page ID, namespace and title |
| sortorder | Sort order of the topic overview. |
| pagelist_flags | Comma separated Flags of the pagelist plugin which is used to display the topic overview |
| toolbar_icon | Show icon in page editor toolbar to add tags. |
| list_tags_of_subns | When counting tags in specified namespaces include also tags in subnamespaces. |

Pagelist Plugin

The Pagelist Plugin takes a list of wiki pages and provides a nicely formatted table with information about them. The plug-in has a number of flags that can be used to control the information and format of the page list. The user can provide a list of specific page references as can some popular helper plugins such the [Blog](#), [Discussion](#), [Editor](#), [Tag](#), [Task](#) and [Dir](#) plugins.

Syntax

Just wrap a regular unordered list of internal links with the `<pagelist>` tag. You may provide specific internal page references or have plug-ins supply them as in the example below:

```
<pagelist&[flags]>
* [[:::blog:|Blog Plugin]]
* [[:::discussion:|Discussion Plugin]]
* [[:::editor:|Editor Plugin]]
* [[:::tag:|Tag Plugin]]
```

```
* [[[:wrap|Wrap Plugin|This is shown in the description cell]]
</pagelist>
```

[flags] flags can be used to alter the appearance of the pagelist, see [flags](#) optional

- [start](#)
- [start](#)
- [start](#)
- [start](#)
- [wrap](#)

Flags

| Setting | Default | | Alternative | |
|--------------|-------------------|---|----------------------------------|---|
| style | default | table with horizontal lines | table, list or simplelist | standard DokuWiki table or list style |
| showheader | noheader | hide the heading row of the pagelist table | header | show the header |
| showdate | date | show the creation or last modification date | nodate | hide the date |
| showuser | user | show creator or contributors | nouser | hide the user |
| showdesc | nodesc | hide the description | desc | show the description (from metadata) |
| showcomments | nocomments | hide the number of comments | comments | show the number of comments (if Discussion Plugin is installed) |
| showtags | notags | hide the tags | tags | show the tags (if Tag Plugin is installed) |
| showfirsthl | firsthl | show the first headline | nofirsthl | show the page name |
| rsort/sort | nosort | no sortation of pages | rsort/sort | sorts the pages (reverse) alphabetically by pagename |

Example

```
<pagelist&header&comments>
  //an unordered list of pages to display//
</pagelist>
```

In the example above, pagelist will display information about the provided pages in a table with a header line and a comments column (if the [Discussion Plugin](#) is installed). The user (or a plugin) must supply the specific pages to display in the list.

Configuration

The plugin can be configured using the DokuWiki configuration manager available in the admin menu. The settings also apply to plugins which use the helper component of the pagelist plugin, like for example the archive component of the [blog](#) plugin.

| | |
|----------------------|---|
| style | List style (default, list, table) |
| showheader | Show table header |
| showdate | Shows/hides the date column (hide, creation date, modification date) |
| showuser | Shows/hides the user column (hide, creator, contributors) |
| showdesc | Shows/hides a short description taken from the first paragraph of a page (hide, max. 160 characters, max. 500 characters) |
| showcomments | Shows/hides comments of a page (requires the discussion plugin) |
| showlinkbacks | Shows/hides linkbacks of a page (requires the linkback plugin) |
| showtags | Shows/hides tags of a page (requires the tag plugin) |
| sort | Sorts the pages alphabetically by pagename |

Beispiele für das QRCode -Plugin

```

~~QRCODE~url=www.ich-bin-am-wandern-gewesen.de~size=L~~

~~QRCODE~url=www.ich-bin-am-wandern-gewesen.de~size=L~~ Ausrichtung rechts

~~QRCODE~ url=www.ich-bin-am-wandern-gewesen.de~size=L~~ Ausrichtung
zentriert

~~QRCODE~ url=www.ich-bin-am-wandern-gewesen.de~size=L~~ Ausrichtung links

```

Attribute

| | |
|------|---|
| url | URL die dargestellt werden soll |
| text | Einfacher Text der dargestellt werden soll. |
| sms | SMS die dargestellt werden soll: 'telefonnummer:text' |
| tel | Telefonnummer die dargestellt werden soll |
| size | Größe des 2D-Barcodes (S,M,L,XL) |

Beispiele

QRCode

```

~~QRCODE~url=www.ovgu.de~size=S~~

```

Kontakt

```

~~QRCODE~text=nachname:vorname:+49234112:wer@da.com~size=XL~~

```

Telefon

```

~~QRCODE~tel=+49234112=L~~

```

Tabellen

Anbei einige Beispiele mit verschiedenen Tabellenarten bzw. Plugins.

- prettytables Plugin

Original Table

| Year | Location |
|------|------------------------|
| 2004 | Athens, Greece |
| 2008 | Beijing, China |
| 2012 | London, United Kingdom |
| 2016 | Rio de Janeiro, Brazil |

prettytables Table

| Year | Location |
|------|------------------------|
| 2004 | Athens, Greece |
| 2008 | Beijing, China |
| 2012 | London, United Kingdom |
| 2016 | Rio de Janeiro, Brazil |

tablewidth

| A | B | C | D | E |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

If there are more columns in the table than there are values in the width specification, the width will be applied to the columns from left to right:

| 20% | 80% |
|-----------------|-----------------------------|
| Specified width | The rest of the table width |

Syntax

Original Table

```

^ Year ^ Location|
| 2004| Athens, Greece|
| 2008| Beijing, China|
| 2012| London, United Kingdom |
| 2016| Rio de Janeiro, Brazil|

```

prettytables Table

```

^ Year ^ Location |
| 2004 | Athens, Greece |
| 2008 | Beijing, China |
| 2012 | London, United Kingdom |
| 2016 | Rio de Janeiro, Brazil |

```

tablewidth

```
|< 100% 50px - 5em 10em 10% >|
^ A ^ B ^ C ^ D ^ E ^
| 1 | 2 | 3 | 4 | 5 |
```

If there are more columns in the table than there are values in the width specification, the width will be applied to the columns from left to right:

```
|< 50em 20% >|
^ 20%           ^ 80%           ^
| Specified width | The rest of the table width |
```

Account informationen für eine Person oder eine Site

ACLINFO für diese Page

- @urz has delete permissions
- @user has read permissions
- @ALL has no permissions

ACLINFO für aktuelle Person

- @ALL has read permissions
- @urz has delete permissions
- @user has read permissions

Wichtige Debug Befehle

- <https://wikis.ovgu.de/urz/doku.php?do=check>
- <https://wikis.ovgu.de/urz/lib/exe/indexer.php?debug=1>
- <https://wikis.ovgu.de/urz/lib/exe/indexer.php?debug=0>

Plugin syntaxhighlighter3

Beispiel:

```
<sxh [brush alias][; options for SyntaxHighlighter]>
... bash script oder php oder ... code/text ...
</sxh>
```

- folgende Brush wird als Alias akzeptiert
 1. shBrushAppleScript
 2. shBrushAS3
 3. shBrushBash
 4. shBrushColdFusion
 5. shBrushCpp
 6. shBrushCSharp

7. shBrushCss
8. shBrushDelphi
9. shBrushDiff
10. shBrushErlang
11. shBrushGroovy
12. shBrushJavaFX
13. shBrushJava
14. shBrushJScript
15. shBrushPerl
16. shBrushPhp
17. shBrushPlain
18. shBrushPowerShell
19. shBrushPython
20. shBrushRuby
21. shBrushSass
22. shBrushScala
23. shBrushSql
24. shBrushVb
25. shBrushXml

```
#!/bin/bash
# set -x
if [ $# -lt 3 ]
then
    echo "ShibConfigDownload: fehlender Operand - Sie müssen drei Argumente
angeben." >&2
    echo
    echo "ShibConfigDownload Servername domain Zielverzeichnis" >&2
    echo "Beispiel: ShibConfigDownload fodb .ovgu.de ~/projekte/shibboleth/"
>&2
    echo
    read -p "Servername (zB. fodb)" SERVER
    read -p "Domain (zB. .ovgu.de)" DOMAIN
    read -p "Zielverzeichnis (zB. ~/projekte/shibboleth/)" ZPATH
else
    SERVER=$1
    DOMAIN=$2
    ZPATH=$3
    SERVERDOMAIN=$SERVER$DOMAIN
    ZPATHSERVER=$ZPATH$SERVER
fi
#echo "ShibConfigDownloadDebug (Parameter):" $1 " " $2 " " $3
#echo "ShibConfigDownloadDebug (Variablen):" $SERVER " " $DOMAIN " "
$ZPATH " " $SERVERDOMAIN " " $ZPATH$SERVER
if [ -n "$SERVER" -a -n "$DOMAIN" -a -n "$ZPATH" ]
then
    echo "Sicherungspath anlegen :" $ZPATH
    mkdir $ZPATH
    echo "Sichern der Shibboleth Konfiguration vom Server :" $SERVERDOMAIN
```



```

scp root@$SERVERDOMAIN:/etc/shibboleth/attribute-map.xml ${ZPATHSERVER}
scp root@$SERVERDOMAIN:/etc/shibboleth/shibboleth2.xml ${ZPATHSERVER}

scp root@$SERVERDOMAIN:/etc/shibboleth/test-metadata.xml ${ZPATHSERVER}
echo $?
[ $? = "1" ] && echo "Achtung ! Nach einer Erstinstallation ist die Datei
test-metadata.xml noch nicht vorhanden und es kann zum Fehler kommen."

echo "Achtung ! Unter umständen kann das Zertifikat anders benannt sein"
scp root@$SERVERDOMAIN:/etc/pki/tls/private/$SERVER.key ${ZPATHSERVER}
echo $?
[ $? = "1" ] && scp
root@$SERVERDOMAIN:/etc/pki/tls/private/$SERVERDOMAIN.key ${ZPATHSERVER}
echo "Achtung ! Unter umständen kann das Zertifikat anders benannt sein"
scp root@$SERVERDOMAIN:/etc/pki/tls/certs/$SERVER.crt ${ZPATHSERVER}
echo $?
[ $? = "1" ] && scp
root@$SERVERDOMAIN:/etc/pki/tls/private/$SERVERDOMAIN.key ${ZPATHSERVER}
exit 0
fi
echo "Ende"

```

Link Check Befehle

Orphans

| # | ID |
|---|-----------------------------------|
| 1 | navigation |
| 2 | ovguautoren:test2 |
| 3 | system:logout |
| 4 | wiki:welcome |

Wanted

| # | ID | Links |
|---|----------------------------------|------------------------------------|
| 1 | wiki:pagename | 2 : Show backlinks |
| 2 | wiki:nonexisting | 1 : Show backlinks |

Valid

| # | ID | Links |
|---|------------------------------------|------------------------------------|
| 1 | wiki:syntax | 5 : Show backlinks |
| 2 | start | 2 : Show backlinks |
| 3 | wikiservice:hilfe | 2 : Show backlinks |
| 4 | wikiservice:nutzer | 2 : Show backlinks |
| 5 | wikiservice:start | 2 : Show backlinks |
| 6 | wikiservice:wikis | 2 : Show backlinks |
| 7 | example | 1 : Show backlinks |

| | | |
|---|-----------------------------------|------------------------------------|
| 8 | wiki:dokuwiki | 1 : Show backlinks |
| 9 | wikiservice:admin | 1 : Show backlinks |

```

~~ORPHANSWANTED:orphans|wanted|valid|all[!namespace!another!one:with:subspaces]~~
\\
~~ORPHANSWANTED:orphans~~
~~ORPHANSWANTED:wanted~~
~~ORPHANSWANTED:valid~~
~~ORPHANSWANTED:all~~      << makes all three tables

```

Plugin nspages

Dieses Plugin zeit eine Tabelle mit Links von dem aktuellen Namensspace und optional seine SubNamesspaces.

```
<nspages path_to_a_namespace -option1 -option2 ...>
```

oder nur

```
<nspages>
```

Pages in this namespace:

E

- [example](#)

N

- [navigation](#)

S

- [start](#)

where:

- path_to_a_namespace represents the path to the wanted namespace. It can be an absolute (ex: namespace1:subnamespace) or a relative path (ex: ::subnamespace). If no path is specified, the current namespace is selected.
- -option may be one of the following (it is possible to specify several options):

| Common options | |
|------------------------|---|
| -subns | displays the subnamespaces of the selected namespace (and provide links to their main page) |
| -nopages | do not list the pages of the selected namespace (of course this option is useful only if you use -subns) |
| -exclude:nameOfPage | won't include the page nameOfPage. This option may be use several times in order to exclude several pages |
| -exclude:subNs: | won't include the subnamespace subNs. This option may also be used more than once |
| -exclude | won't include the current page |
| -h1 | will display the first h1 title found. If a page doesn't contain such a title, the name of the page is used instead |
| -textPages="some text" | <i>some text</i> will be displayed instead of the default text, to introduce the pages list |
| -textNS="some text" | <i>some text</i> will be displayed instead of the default text, to introduce the namespaces list |
| -title | alias of -h1 |
| -simpleList | display the list on a single column |
| -simpleLine | display the list on a single line (incompatible with -simpleList) |
| -nbCol=3 | Change the number of columns to use (default is 3) |
| -sortId | Sort the pages according to their id, even if -title is used |

| Less common options | |
|--|--|
| -reverse | Sort the pages in reverse order |
| -pagesInNs | The pages will appear among the namespaces |
| -r | recurse : display elements of the subnamespaces. You may use just "-r" to check every subnamespace, or e.g. "-r=3" to have a depth limit to 3 levels |
| -exclude:[page1 subNs: page2] | an easier syntax to exclude several pages/subnamespaces |
| -pregPagesOn -pregPagesOff -pregNSOn -pregNSOff | Enable the use of regex to select the documents that should be displayed. Eg: -pregPagesOn="/doku/i" will display only pages which contains "doku" in their id. Several options may be used, and each of them may be used several times. |

Beispiel 1:

```
<nspages playground -exclude>
```

Pages in this namespace:

No pages in this namespace.

Beispiel 2:

```
<nspages playground -subns -nopages>
```

Subnamespaces:

No subnamespaces.

Plugin INFO:syntaxplugin

- [Changes Plugin 2018-06-04](#) by [Andreas Gohr](#)
List the most recent changes of the wiki
- [Box Plugin 2016-02-17](#) by [Christopher Smith](#)
Boxes with titles, colour and rounded corners. Syntax: `<box width class colours|title> ... </box|caption>` width, class, colours title & caption are optional. The title can include some wiki markup, the box contents can include almost any wiki markup.
- [Doodle Plugin 2.0 2010/10/26](#) by [Robert Rackl](#)
helps to schedule meetings
- [DocNavigation plugin 2014-12-27](#) by [Gerrit Uitslag](#)
Add navigation for documentation
- [iframe plugin 2016-02-02](#) by [Christopher Smith](#)
Allows external URLs to be loaded into an iframe in your DokuWiki page.
- [nspages plugin 2018-07-06](#) by [Guillaume Turri](#)
Presents a toc of the selected namespace using `<nspages>`
- [Gallery Plugin 2018-07-09](#) by [Andreas Gohr](#)
Creates a gallery of images from a namespace or RSS/ATOM feed
- [hidden Plugin 2018-07-05](#) by [Guillaume Turri](#)
Enable to hide/show details
- [WikipediaSnippet Plugin 2016-04-07](#) by [Anika Henke](#)
Includes a snippet from a Wikipedia article.
- `\begin{eqnarray*} ... \end{eqnarray*}` [syntax 2011-04-29](#) by [Alexander Krause](#), [Michael Boyle](#), [Mark Lundeberg](#)
LaTeX rendering plugin
- [Indexmenu Plugin 2015-08-26](#) by [Samuele Tognini](#)
Show a customizable and sortable index for a namespace
- [ACL Info Plugin 2016-08-04](#) by [Andreas Gohr](#)
Displays information about the ACLs for the current page
- [Open Document Plugin 2018-05-05](#) by [Andreas Gohr](#), [Aurelien Bompard](#), [Florian Lamml](#), [LarsDW223](#)
Export the current Wiki page to a OpenOffice ODT file
- [Dw2Pdf plugin 2018-04-23](#) by [Andreas Gohr](#) and [Luigi Micco](#)
DokuWiki to PDF converter
- [Bookcreator Plugin 2016-08-11](#) by [Gerrit Uitslag](#) (previous: [Luigi Micco](#))
Allow to make a book (PDF or text) from selected pages
- [SyntaxHighlighter3 Plugin 2018-02-09](#) by [CrazyMax](#)
Alternative to GeSHi server-side code highlighting with client-side SyntaxHighlighter. More info: <https://github.com/crazy-max/dokuwiki-plugin-syntaxhighlighter3>
- [Info Plugin 2014-10-01](#) by [Andreas Gohr](#)
Displays information about various DokuWiki internals
- [Pagelist Plugin 2017-08-24](#) by [Matthias Schulte](#), [Michael Hamann](#), [Michael Klier](#), [Gina Haeussge](#)
Lists pages in a nice formatted way
- [RefNotes Plugin 2018-05-01](#) by [Mykola Ostrovskyy](#)

Extended syntax for footnotes and references.

- [discussion plugin 2017-08-24](#) by [Michael Hamann](#), [Gerrit Uitslag](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#), [Matthias Schulte](#)
Provides discussion functionality for wiki pages
- [Blockquote Plugin 2017-08-25](#) by [Anika Henke](#) (previous author: [Gina Haeussge](#))
Write quotations in a semantically correct way
- [DataTables Plugin 2016-03-14](#) by [Giuseppe Di Terlizzi](#)
Add DataTables support to DokuWiki
- [Wrap Plugin 2018-04-22](#) by [Anika Henke](#)
Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.
- [Cloud Plugin 2017-08-05](#) by [Michael Hamann](#), [Michael Klier](#), [Gina Haeussge](#)
Displays the most used words in a word cloud.
- [Tag Plugin 2017-08-24](#) by [Michael Hamann](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#)
tag wiki pages
- [color syntax plugin 2016-10-20](#) by [Christopher Smith](#)
Write colored text in DokuWiki.
- [folded plugin 2018-07-31](#) by [Michael Hamann](#), [Fabian van-de-I_Isle](#), [Christopher Smith](#), [Esther Brunner](#)
Foldable page sections
- [Table Width Plugin 2016-10-13](#) by [Mykola Ostrovskyy](#)
Allows to specify width of table columns.
- [Add New Page 2015-11-02](#) by [Benjamin Santalucia](#), [Sam Wilson](#), [Michael Braun](#), [Gerrit Uitslag](#), [Albert Chern](#)
Adds a "new page form" to any wiki page.
- [alphalist 2017-09-29](#) by [Szymon Olewniczak](#)
Combine several dokuwiki list to alphabetical list.
- [orphanswanted plugin 2017-06-25](#) by [Doug Edmunds](#), [Cyrille37](#), [Federico Ariel Castagnini](#), [Andy Webber](#), [Matthias Schulte](#)
Display Orphans, Wantedds and Valid link tables
- [Button Plugin 2018-07-28](#) by [Remi Peyronnet](#)
Add button links syntax
- [Note Plugin 2018-04-28](#) by [Olivier Cortès](#), [Eric Hameleers](#), [Christopher Smith](#), [Aurélien Bompard](#), [LarsDW223](#)
Add Note/Important/Tip/Warning Capability (DIV+CSS box)
- [MathJax plugin 2018-06-23](#) by [Mark Liffiton](#)
Enables MathJax (<https://www.mathjax.org/>) parsing of TeX math expressions in wiki pages

Andre IndexMenüs anzeigen

default

- [ovguautoren](#)
- [system](#)
- [wiki](#)
- [wikiservice](#)
- [example](#)

- [navigation](#)

indextheme

- [ovguautoren](#)
- [system](#)
- [wiki](#)
- [wikiservice](#)
- [example](#)
- [navigation](#)

human.png

- [ovguautoren](#)
- [system](#)
- [wiki](#)
- [wikiservice](#)
- [example](#)
- [navigation](#)

kde

- [ovguautoren](#)
- [system](#)
- [wiki](#)
- [wikiservice](#)
- [example](#)
- [navigation](#)

leopard.png

- [ovguautoren](#)
- [system](#)
- [wiki](#)
- [wikiservice](#)
- [example](#)
- [navigation](#)

bw.png

- [ovguautoren](#)
- [system](#)
- [wiki](#)
- [wikiservice](#)
- [example](#)
- [navigation](#)

phoenity.png

- [ovguautoren](#)
- [system](#)
- [wiki](#)
- [wikiservice](#)
- [example](#)
- [navigation](#)

shiki_brave.png

- [ovguautoren](#)
- [system](#)
- [wiki](#)
- [wikiservice](#)
- [example](#)
- [navigation](#)

Befehle kombinieren geht, aber nicht immer :-)

```
**__ <del>einfach schreiben</del> __**
```

einfach schreiben

Bild anzeigen

linksbündig



```
{{:wiki:dokuwiki-128.png?100 |}}
```

rechtsbündig



```
{{ :wiki:dokuwiki-128.png?100|}}
```

mittig



```
{{ :wiki:dokuwiki-128.png?100 |}}
```



Plugin Inhaltsverzeichnis ausblenden

mit "`~~NOTOC~~`" kann man den Dokuwiki internen Inhaltsverzeichnis ausblenden

Plugin WikiSyntax ausschalten

Mit

```
<nowiki>.....</nowiki> oder
<file>.....</file> oder
<code>.....</code>
```

kann man Textstellen ohne Wiki-Konvertierung markieren.

Plugin Sprachenauswahl ausblenden

Mit

```
~~NOTRANS~~
```

kann man die Sprachenauswahl ausschalten.

Doodle2 Plugin

Syntax

```
<doodle
  title="What do you like best?"
  auth="none|ip|user"
  adminUsers="user1|user2"
  adminGroups="group1|group2"
  voteType="single|multi" # Checkboxes pro Spalte oder
Radiobutton pro Spalte
  closed="true|false" # Änderungen und Eingaben
möglich
>
  * Option 1
  * Option 2 some wikimarkup \\ is allowed!
  * Option 3
</doodle>
```

#####

| What do you like best? | | | |
|------------------------|-------------------------------------|--|--------------------------|
| Real name | Option 1 | Option 2 some wikimarkup is <u>allowed</u> ! | Option 3 |
| LQWi | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| mattkunz (mattkunz) | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| qxeuxfkc | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Count: | 3 | 1 | 0 |

REFNOTES PlugIn

Beispiel 1 für ~REFNOTES~ im Text

This is where the note is introduced the first time¹⁾. And here is another reference²⁾ to the same note.

^{1), 2)} This is a note.

Beispiel 2 für ~REFNOTES~ in einer Tabelle

| | Product 1 | Product 2 | Product 3 |
|------------------|-----------|-------------------|-------------------|
| Feature A | Yes | Yes ¹⁾ | Yes ²⁾ |
| Feature B | Yes | Yes ³⁾ | No |
| Feature C | No | Yes | Yes ⁴⁾ |

The following references^{5) 6)} will be rendered.

Achtung ohne Angabe des ~REFNOTES~ Befehls, sind die dazugehörigen Notes am Ende der Site zu finden (ganz unten)

^{1), 2), 3), 5)} This is a note.

^{4), 6)} Another note.

Unterschiede vom BuildIn "Footnotes" und dem PlugIn "Revnotes"



PlugIn Test color von mattkunz

text text text text text text text text text text text text text text text text text

text
text
text
text
text
text
text text

PlugIn html5videos

Syntax:

```
{{URL|WIDTHxHEIGHT|ATTRIBUTES}}
```

- **URL** can be one of this:
 - A valid web URL (e.g. `http://people.xiph.org/~maikmerten/demos/BigBuckBunny.ogv`)
 - A media link within your wiki (e.g. `namespace:my_video.webm`)
- **WIDTHxHEIGHT** is the desired width and height of your video player within the page
- **ATTRIBUTES** can be one or both of the following (separated by commas)
 - *loop* - Loops the video to play again once it reaches the end
 - *autoplay* - Automatically starts the video when the page is loaded

⚠ *Note that you can use ATTRIBUTES without specifying a WIDTHxHEIGHT, but if you do so, you **must** include the additional pipe(|) character (e.g. `{{:namespace:myvid.webm| |loop,autoplay}}`)*

You can also align your video with the same basic syntax that works on images in DokuWiki.

Example:

Float video left

```
{{URL| }}
```

Float video right

```
{{ URL| }}
```

Center video

```
{{ URL | }}
```

Suchbegriff

ISDN mattkunz

allgemeine Syntax

DokuWiki supports **bold**, *italic*, underlined and monospaced texts. Of course you can ***combine*** all these.



Überschriften

Überschrift Level 1

Überschrift Level 2

Überschrift Level 3

Überschrift Level 4

Überschrift Level 5

Zoom-Plugin für Dokuwiki

Das Zoom-Plugin ermöglicht es Dokuwiki Bilder zoombar zu machen.

Syntax

Die Verwendung ist ähnlich wie bei Bildern, es wird einfach nur '**zoom>**' dem Bild vorangestellt und

die Größe der Voransicht angeben (Breite x Höhe). Beispiel:
<search?q=%3Awiki%3Adokuwiki-128.png&btnl=lucky> Bilder können mit Leerzeichen und * ausgerichtet werden (Standard ist unausgerichtet).

Linksbündig mit Text oben und unten

```
{{zoom>:logo.jpg?300 }}
```

<search?q=%3Awiki%3Adokuwiki-128.png&btnl=lucky>

Rechtsbündig mit Text oben und unten

```
{{zoom> :logo.jpg?300}}
```

<search?q=%20%3Awiki%3Adokuwiki-128.png&btnl=lucky>

Zentriert mit Text oben und unten

```
{{zoom> :wiki:dokuwiki-128.png?300 }}
```

<search?q=%20%3Awiki%3Adokuwiki-128.png&btnl=lucky>

Linksbündig mit Fließtext

```
{{zoom> :wiki:dokuwiki-128.png?300*}}
```

Bla
Bla
<search?q=%20%3Awiki%3Adokuwiki-128.png&btnl=lucky> Bla Bla Bla Bla Bla Bla Bla Bla Bla Bla Bla Bla
Bla
Bla
Bla
Bla
Bla
Bla
Bla
Bla Bla

Rechtsbündig mit Fließtext

```
{{zoom>*:wiki:dokuwiki-128.png?300 }}
```

Bla Bla

Bla
<search?q=%2A%3Awiki%3Adokuwiki-128.png&btnl=lucky> Bla Bla Bla Bla Bla Bla Bla Bla Bla Bla Bla
 Bla
 Bla
 Bla
 Bla
 Bla
 Bla
 Bla
 Bla
 Bla
 Bla
 Bla
 Bla
 Bla
 Bla
 Bla

Bildgröße

Die Größe des Vorschaubildes kann auf mehrere Arten eingestellt werden.

Angabe der Breite

```
{{zoom>:wiki:dokuwiki-128.png?300}}
```

<search?q=%3Awiki%3Adokuwiki-128.png&btnl=lucky> Die Höhe des Bildes wird automatisch anhand des Seitenverhältnisses bestimmt.

Angabe der Höhe

```
{{zoom>:wiki:dokuwiki-128.png?x100}}
```

<search?q=%3Awiki%3Adokuwiki-128.png&btnl=lucky> Die Breite des Bildes wird automatisch anhand des Seitenverhältnisses bestimmt.

Angabe der Breite und Höhe

```
{{zoom>:wiki:dokuwiki-128.png?300x100}}
```

<search?q=%3Awiki%3Adokuwiki-128.png&btnl=lucky>

Parameter

Weitere Parameter können durch Anhängen des '&' übergeben werden. Die Syntax ist wie folgt:

```
{{zoom>:bild?WxH&parameter}}
```

Die Parameter werden einfach kommagetrennt aneinander gereiht. Beispiel:

```
{{zoom>:wiki:dokuwiki-128.png?300x100&position:'right',tint:'#cccccc'}}
```

<search?q=%3Awiki%3Adokuwiki-128.png&btnl=lucky>

position

Mit `position` kann die Position des Zoom-Fenster eingestellt werden. Folgende Werte sind verfügbar (bitte die `' '` nicht vergessen!):

- `'left'`
- `'right'`
- `'top'`
- `'bottom'`
- `'inside'` (default)
-

zoomWidth

Hiermit kann die Breite des Zoom-Fensters eingestellt werden. Default: auto (=Breite des Vorschaubildes)

zoomHeight

Hiermit kann die Höhe des Zoom-Fensters eingestellt werden. Default: auto (=Höhe des Vorschaubildes)

adjustX

Hiermit kann das Zoom-Fenster versetzt werden. Es sind positive und negative Werte erlaubt.

adjustY

Hiermit kann das Zoom-Fenster versetzt werden. Es sind positive und negative Werte erlaubt.

tint

Erlaubt die Angabe einer Farbe mit der das Vorschaubild abgedeckt wird. Angabe im HEX-Format (`' '` nicht vergessen!). Default: false. Beispiel:

```
{{zoom>:wiki:dokuwiki-128.png?300&position:'right',tint:'#CCCCCC'}}
```

<search?q=%3Awiki%3Adokuwiki-128.png&btnl=lucky>

tintOpacity

Bestimmt die Durchsichtigkeit der Abdeckfarbe. Es sind Werte im Bereich 0 (100% transparent) und 1 (100% deckend) erlaubt. Default: 0.5

lensOpacity

Bestimmt die Durchsichtigkeit der Lupe. Es sind Werte im Bereich 0 (100% transparent) und 1 (100% deckend) erlaubt. Default: 0.5. Beispiel:

```
{{zoom>:wiki:dokuwiki-128.png?300&position:'right',lensOpacity:0.8 }}
```

[search?q=%3Awiki%3Adokuwiki-128.png&btnl=lucky](https://wikis.ovgu.de/wiki/dokuwiki-128.png?300&position:'right',lensOpacity:0.8)

softFocus

Macht das Vorschaubild unscharf. False (default) oder true. Nicht in Verbindung mit 'tint' zu verwenden.

```
{{zoom>:wiki:dokuwiki-128.png?300&position:'right',softFocus:true }}
```

[search?q=%3Awiki%3Adokuwiki-128.png&btnl=lucky](https://wikis.ovgu.de/wiki/dokuwiki-128.png?300&position:'right',softFocus:true)

smoothMove

Bestimmt die Weichheit der Zoom-Bewegung. 1 = nicht weich, default: 3. Beispiele:

```
{{zoom>:wiki:dokuwiki-128.png?300&position:'right',smoothMove:1 }}
```

[search?q=%3Awiki%3Adokuwiki-128.png&btnl=lucky](https://wikis.ovgu.de/wiki/dokuwiki-128.png?300&position:'right',smoothMove:1)

```
{{zoom>:wiki:dokuwiki-128.png?300&position:'right',smoothMove:5 }}
```

[search?q=%3Awiki%3Adokuwiki-128.png&btnl=lucky](https://wikis.ovgu.de/wiki/dokuwiki-128.png?300&position:'right',smoothMove:5)

Plugin Changes

he list is created using the following syntax:

Optionally you can specify a number of parameters that control the scope of the shown changes and the way the list is rendered. By default plugin shows the changes in the entire wiki. To restrict the list of changes to a given namespace and its sub-namespaces you can specify its name either directly or using ns parameter:

The `ns` parameter supports both inclusion and exclusion of the namespaces. If a namespace name starts with a minus sign that namespace will be excluded. Also you can assign a number of namespaces as a comma separated list:

The first example will show the changes in all namespaces except of “foo”, the second one will include “foo” and “bar” namespaces except of “bar:baz” sub-namespace.

The number of changes that are presented in the list is controlled with `count` parameter (defaults to 10). The count can also be specified as just a number:

It is also possible to control the type of changes shown in the list. By default all types are shown but with `type` parameter you can restrict the shown changes to a given type. The supported types are create, edit, minor and delete. Multiple types can be specified separated by a comma:

You can also filter by user. Multiple users are also separated by comma:

Filtering by age is possible, too. Just specify the maximum age in seconds (or configure a default in the config).

The changes can be rendered either as a simple list (default) or using `Pagelist` plugin. You have to install the `Pagelist` plugin separately, if it's not available the simple list is used instead. The renderer is selected with the “`render`” parameter:

The renderers can have extra parameters, which can be passed within parenthesis:

The built-in list renderer supports the following parameters:

```
summary, nosummary – show/hide the change summary.  
signature, nosignature – show/hide user name and time of the change.
```

By default only the summary is shown. For the list of parameters supported by `Pagelist` plugin refer to its documentation.

If you want to pass a number of parameters to the plugin they should be separated with an ampersand, for example:

The above syntax would display the last 15 pages created by user `rauschen` inside the “foo” namespace.

Note: The plugin respects ACL permissions but output is cached with the page it is in until a new change was made. If you're listing ACL dependent changes use the macro in the page you're using this plugin.

warp Plugin

Beispiele



Farbe Info



Farbe Help



Farbe Tip



Farbe Important



Farbe Alert



Farbe Download



Farbe todo



Farbe Info



Farbe Help




Farbe Tip



 Farbe Important

 Farbe Alert

 Farbe Download

 Farbe todo

Farbe Danger

Farbe Warning

Farbe Caution

Farbe Safety

Farbe Notie

Farbe Danger

Farbe Warning

Farbe Caution

Farbe Safety

Farbe Notie

Syntax Plugin warp (ACHTUNG: BILD)

Plugin Box



Plugin Note

This is my note ! Remember it!!
 Warning ! You're about to lose your mind 😊
 The clues are in the images.
 Beware of the dog when you open the door !!

Plugin MatheJax

Inline Math

Use dollar signs:

```
$a^2 + b^2 = c^2$
```

$a^2 + b^2 = c^2$

or escaped parentheses:

```
\(1+2+\dots+n=\frac{n(n+1)}{2}\)
```

$(1+2+\dots+n=\frac{n(n+1)}{2})$

Display Math

To display math on its own line, use double dollar signs:

```
$$ \frac{d}{dx}\left( \int_0^x f(u)\,du\right)=f(x) $$
```

$\frac{d}{dx}\left(\int_0^x f(u)\,du\right)=f(x)$

or escaped square brackets:

```
\[ \sin A \cos B = \frac{1}{2}\left[ \sin(A-B)+\sin(A+B) \right] \]
```

$[\sin A \cos B = \frac{1}{2}\left[\sin(A-B)+\sin(A+B) \right]]$

A wide range of math environments will work as well:

```
\begin{align*}
```

```
e^x & = 1 + x + \frac{x^2}{2} + \frac{x^3}{6} + \cdots \\
& = \sum_{n \geq 0} \frac{x^n}{n!} \\
\end{align*}
```

```
\begin{align*} e^x & = 1 + x + \frac{x^2}{2} + \frac{x^3}{6} + \cdots \\ & = \sum_{n \geq 0} \frac{x^n}{n!} \end{align*}
```

der Nachfolgende Befehl macht die aktuelle WikiSeite exportierbar

Exportformat ist OpenOffice "ODF".



~~ODT~~

From:
<https://wikis.ovgu.de/wiki/> - **Wiki-Service**

Permanent link:
<https://wikis.ovgu.de/wiki/doku.php?id=example>

Last update: **2018/06/14 15:21**

